

Highlights

- LED display**
Easy to read and bright LED display with minimal power consumption.
- Economy mode**
The additional function enables energy savings through lower power consumption
- Timer**
12 / 24 hour mode. Switches on and off after the desired time.
- Dehumidification**
Ideal for dehumidification, without temperature difference
- R32 refrigerant**
Is more environmentally friendly and energy-saving than some other refrigerants.
- Whisper quiet**
The noise level can be reduced by using a low fan speed or sleep mode.
- Auto Restart**
The selected programme is continued after switching off or a power failure.

Premium
Cooling



QUICK CONNECTOR



Cooling capacity: 12,000 BTU - max.105m³ - max.42m² at a room height of 2.5 metres


Whether cooling, heating or dehumidifying, an air conditioning system is always a worthwhile investment for our well-being. Air conditioning units are particularly popular in bedrooms, where a comfortable climate should prevail in order to start the new day as rested as possible. Physical well-being increases our performance.

An optimally tempered and dehumidified living space is crucial for our well-being. The dehumidification function is particularly noticeable, even at the same temperature. For example, an air-conditioned room at 26°C differs significantly from a non-air-conditioned room with humid air.

Loft conversions and attic flats can reach unpleasant temperatures as early as spring. Dissipating the heat in a short space of time often proves to be very difficult. With an air conditioning system from BE COOL, you can solve this problem and look forward to an improved indoor climate tomorrow.

Premium features


- 3D Air Flow Vertical/horizontal Auto Swing:** The air flow is distributed left/right and up/down
- Super Silent Mode:** Operation with only 18dB volume
- Frost protection function (+8°C)**
- Temperature measurement via remote control:** Ensures optimum temperature measurement directly in my environment
- Cooling function possible down to -15°C outside temperature**
- Comfort cooling:** excessive dehumidification is avoided during cooling
- 5 fan speeds:** Low/Middle/High/Turbo/Mute
- Turbo cooling function and heating function**
- Child lock or button lock for the remote control**



Heat pump principle

This convenient and energy-saving air conditioning system is also known as an air-to-air heat pump. There is a lot of unused energy hidden in the air. BE COOL appliances utilise this energy and process it. Invest today in a free source of energy and benefit from the vitalising effect of a perfectly air-conditioned and dehumidified living or business space.

- **Backlight display on the remote control**
- **Louver position memory:** The opening angle of the louvres is saved when switching off
- **Gold Fin:** Long-lasting lotus effect - Antibacterial - Energy-saving - Durable
- **I Set:** Memory function of the remote control
- **Self-cleaning function**
- **Healthy filters Silver ion / activated carbon / catechin filter / vitamin C filter:** improve air quality



Gentle Wind

Der Luftstrom wird sanft und weich und bietet dem Benutzer einen hervorragenden Luftstromkomfort.



Gesamtabbildung




Innengerät - Schrägansicht



Innengerät - Klappe geöffnet



Außengerät



Scope of delivery

- Outdoor unit
- Indoor unit
- 4m copper cables
- Vibration damper / shims
- Operating instructions
- Remote control

Warranty period

- 2 years

Specifications:

- Cooling capacity: 12,000 BTU
- Coolant: R32
- SEER / SCOPE: 6.1 / 4.0
- Cooling capacity: max. 3,400 watts
- Heating capacity: max. 3,420 watts
- Energy class: A ++
- Room air circulation: 550 m³ / h
- Indoor sound power: 32-50 dB (A)
- External sound power: 60 dB (A)
- Internal sound pressure: 22-40 dB (A)
- External sound pressure: 50 dB (A)
- Power supply: 220-240V ~ / 50Hz
- Cooling: 1.5 ~ 9.0 A
- Heating: 1.5 ~ 10.0A
- Application area: max. 105 m³ (* 42m²) * at a room height of 2.5 metres

Dimensions:

- Indoor unit (W×H×D): 777 × 250 × 201 mm
- Outdoor unit (W×H×D): 777 × 498 × 290 mm
- Weight indoor unit/outdoor unit: 8.5 kg/ 25 kg

EAN indoor unit: 9005151006124; EAN outdoor unit: 9005151006131

Note: This appliance must be installed by a certified specialist company in accordance with Climate Protection Regulation EU Regulation 517/2014 (Implementing Regulation No. 2015/2067). We would like to point out that the installation prices and installation times may vary due to different regional specialist companies.

